

CONNEXION ELECTRICAL LTD

At Connexion We Hope To Serve You Better Each Day



1975-2023



Table Of Content

01	About Us	3
02	Extension Leads (110v)	4 - 6
03	Extension leads (240v -415v)	7 - 11
04	Cable Reels (110v)	12 - 13
05	Cable Reels (240v)	14 - 17
06	Transformers	18 - 19
07	Junctions	20 - 22
08	Site Lightning (110v)	23 - 24
09	Site Lightning (240v)	25
10	LED Lightning	26 - 31
11	Plugs and Sockets (110v)	32 - 33
12	Plugs and Sockets (240v)	34 - 35
13	Fans	36
14	Heater	37
15	Safety & Site Consumables	38 - 43
16	Hand tools	44 - 46
17	Storage	47



About Us

Connexion Electrical Ltd was established in 1975. Manufacturers, Importers and Distributors, we have been supplying electrical and site lighting equipment throughout the UK for over 40 years.

Over the years the Connexion brand has built a positive reputation within the industry. It's become a trusted and recognized name that our customers and the consumer value.

Constantly adapting to our customers requirements, we strive to deliver quality, robust products, which are competitively priced.

Operating out of a large warehouse located in London, we have the capacity to stock vast amounts of products. This enables our operations to run efficiently, allowing our clients to minimize their stock holding, offering a quick turn around and providing a great level of service.

Specialising in bespoke production we are able to tailor products to individual customer requirements. We have a dedicated team that researches and acquires new product to ensure that we can offer a current and comprehensive product range.



110v

Part No. 10801







- 1.50mm Cable
- 110v
- 16A Plug and Coupler







- 14m
- 2.50mm Cable
- 110v
- 16A Plug and Coupler

Part No. 10803





- 25m
- 2.50mm Cable
- 110v
- 16A Plug and Coupler

Part No. 10826



- 14m
- 4.00mm Cable
- 110v
- 32A Plug and Coupler

110v

Part No. 10829







- 14m
- 2.50mm Cable
- 110v
- 32A Plug and Coupler

Part No. 10827

Description:



- 25m
- 1.5mm Cable
- 110v
- 16A Plug and Coupler

Part No. 10850

Description:



- 14m
- 1.5mm Cable
- IP67 Screw lock Fittings
- 110v
- 16A Plug/Sockets

Part No. 10851



- 14m
- 2.5mm Cable
- IP67 Screw lock Fittings
- 110v
- 16A Plug/ Socket

110v

Part No. 10874



Description:

- 0.5m Fly lead
- 2.50mm Cable
- 110v
- 16A Plug and 32A Coupler



Part No. 10900



Description:

- 100m
- 3 core Yellow drum
- 1.5mm cable

Part No. 10901



Description:

- 100m
- 3 core blue drum
- 1.5mm Cable

Part No. 10902



- 100m
- 3 core yellow drum
- 2.5mm Cable

240v

Part No. 10804



Description:



- 1.50mm Cable
- 240v
- 13A Plug and Socket



Part No. 10805



Description:

- 14m
- 1.50mm Cable
- 240v
- 16A Plug and Socket

Part No. 10809



Description:

- 14m
- 2.50mm Cable
- 240v
- 16A Plug and Socket

Part No. 10823



Description:

- 14m
- 2.50mm Cable
- 240v
- 32A Plug and Socket



240v

Part No. 10824



Description:



- 2.50mm Cable
- 240v
- 13A Plug and Socket



Part No. 10872



Description:

- 0.5m
- 1.50mm Cable
- 240v
- 13A Plug to 16A Socket

Part No. 10873



- 0.5m
- 1.50mm Cable
- 240v
- 16A Plug and 13A Single Socket



415v

Part No. 10813



Description:

- 415 volt
- 16 Amp IP67 Plug & Socket
- 10 Metre
- 2.5mm Black Rubber Cable
- 5 Core





- 415 volt
- 32 Amp IP67 Plug & Socket
- 10 Metre
- 4.0mm Black Rubber Cable
- 5 Core





240v

Part No. 30503

Description:





- 5m
- 1.25mm Cable
- 4 x 13A Sockets with Neon
- 240v
- 13A Plug

Part No. 30511

Description:







- 240v
- 13A Plug

Part No. 30501

Description:







- 240v
- 13A Plug

Part No. 30502



- 3m
- 1.25mm Cable
- 4 x 13A Sockets with Neon
- 240v
- 13A Plug



240v

Part No. 30504

Description:





- 10m
- 1.25mm Cable
- 4 x 13A Sockets with Neon
- 240v
- 13A Plug

Part No. AS602



- 2m
- 1.25mm Cable
- 6 x 13A Sockets with Neon
- Surge Spike and Telephone Protection
- Thermal Overload
- 240v
- 13A Plug



Cable Reels 110v

Part No. 4035





- 1.50mm Cable
- 2 x 16A Sockets
- PVC Drum/Metal Stand
- 110v 16A Plug
- Neon Light With Thermal Cut-Out

Part No. 4055



Description:

- 25m
- 2.50mm Cable
- 2 x 16A Sockets
- PVC Drum/Metal Stand
- 110v
- 16A Plug

Part No. 8038



Description:

- 20m
- 4.00mm Cable
- 1 x 32A Socket
- PVC Drum/Metal Stand
- 110v
- 32A Plug

Part No. 8045



Description:

- 50m
- 1.50mm Cable
- 2 x 16A Sockets
- PVC Drum/Metal Stand
- 110v
- 16A Plug





Cable Reels 110v

Part No. 8059



Description:



- 2.50mm Cable
- 2 x 16A Sockets
- PVC Drum/Metal Stand
- 110v
- 16A Plug

Part No. 8061



- Empty Drum
- PVC Drum/Metal Stand
- 2 x 16A Sockets
- 110v
- Will accept up to 50m of 1.5 cable and 40m of 2.5 cable





Part No. 4005



Description:

- 25m
- 1.5mm Cable
- 2 x 13A Sockets
- PVC Drum/Metal Stand
- 240v
- 13A Plug
- Thermal Overload

Part No. 4047



Description:

- 25m
- 2.50mm Cable
- 2 x 16A
- 240v Sockets
- 16A 240v Plug

Part No. 4057



Description:

- 25m
- 1.50mm Cable
- 2 x 16amp socket
- PVC Drum/Metal Stand
- 240v
- 16A Plug

Part No. 4050



- 25m
- 2.50mm Cable
- PVC Drum/Metal Stand
- 240v
- 13A Plug
- 2 x 13amp socket





Part No. 4320



Description:



- 1.5mm Cable
- 3 x 13A Sockets
- PVC Drum/Metal Stand
- 13A Plug
- 240v
- Thermal overload

Part No. 8015



Description:

- 50m
- 1.50mm Cable
- 2 x 13A Socket Outlets
- PVC Drum/Metal Stand
- 240v
- 13A Plug
- Thermal overloaded

Part No. 8048



Description:

- 50m
- 2.50mm Cable
- 2 x 16A 240v Sockets
- PVC Drum/ Metal Stand
- 240v
- 16A Plug

Part No. 8051



- 50m
- 2.5mm Cable
- 2 x 13amp 240v sockets
- 13amp 240v Plug
- PVC Drum/Metal Stand





Part No. 8060



Description:

- 2 x 13A Sockets
- PVC Drum/Metal Stand
- 240v
- Empty drum will accept up to 50m x 1.5/30m x 2.5 Cable



Part No. 8315R



Description:

- 50m
- 1.50mm Cable
- 3 x 13A Sockets
- 240v
- PVC Drum/Metal Stand
- 13A RCD Plug
- Thermal Overload

Part No. 5070



Description:

- 10m
- 1.0mm Cable
- 2 x 13A Sockets
- Cassette Case
- 240v
- 13A Plug

Part No. 5072



- 10m
- 1.5mm Cable
- 2 x 13A Sockets
- Cassette Case
- 240v
- 13A Plug



Part No. 5073





- 1.50mm Cable
- 2 x 13A Sockets
- 240v
- 13A Plug
- Thermal Cut Out





Transformers

Part No. 10960



Description:

- 1.5kva
- 1.5m Cable
- 2 x 16A Sockets
- 110v
- 13A Plug

Part No. 10961



Description:

- 3.3kva
- 1.5m Cable
- 2 x 16A Sockets
- 110v
- 13A Plug

Part No. 10961-240v



Description:

- 3.3kva
- 110v to 240v Step Up Transformer
- 1.5m Cable
- 2 x 16A 240v Sockets
- 16A 110v Plug

Part No. 10962



- 5kva
- 1.5m Cable
- 2 x 16A 1x 32A Outlets
- 110v 16/32 amp
- 13amp 240v plug



Transformers

Part No. 10963-10kva



Description:

- 10kva Single Phase Transformer
- 4 x 16A 2 x 32A Sockets
- Metal Case
- MCB Mains and Outlet
- 40A D Type MCB Recommended for connection

Part No. 10964-10kva



Description:

- 10kva 3 Phase Site Transformer
- 4 x 16A 2 x 32A Sockets
- Metal Case
- MCB Mains and Outlet
- 40A D Type MCB Recommended for connection

Part No. 10961-32A



Description:

- 3.3kva Transformer 32amp Outlet
- 1.0mm 3 core rubber Cable
- IP44
- 240v 13amp Plug

Part No. 10959



Description:

• Power: 1.2kva

Input Voltage: 240vOutput Voltage: 110v

IP44



Junction Boxes

Part No. 10895



Description:

- 4 way Splitter Junction Box
- 4 x 16A 110v Sockets
- 5m -1.5mm Cable
- Metal Box Housing
- 16A 110v Plug

Part No. 10896



Description:

- 4 way Splitter Junction Box
- 4 x 16A 110v Sockets
- 5m -2.5mm Cable
- Metal Box Housing
- 16A 110v Plug

Part No. 10897



Description:

- 4 way Splitter Junction Box
- 4 x 16A 110v Sockets
- 5m -2.5mm Cable
- Metal Box Housing
- 32A 110v Plug

Part No. 10885



- 6-way Splitter Junction Box
- 4 x 16A/ 2 x 32A 110v Sockets
- 5m -4.0mm Cable
- 3 x MCB circuit fuses
- Metal Box Housing
- 32A 110v Plug



Junction Boxes

Part No. 10886

Description:



- 4 way Splitter Power Block
- 4 x 16A 110v Sockets
- 5m -1.5mm Cable
- PVC Body with hanging hook
- 16A 110v Plug

Part No. 10888

Description:



- 4 way Splitter Junction Box
- 4 x 32A 110v Sockets
- 4.0mm Cable
- Metal Box Housing
- 32A 110v Plug

Part No. 10889

Description:



- 6 way MCB Splitter Junction Box
- 6 x 16A 110v Sockets
- 3 x MCB Circuit Fuses
- 5m -4.0mm Cable
- Metal Box Housing
- 32A 110v Plug

Part No. 10887



- 4 way Splitter box
- 32amp outlets with MCB breakers
- 4 x 32A 110v Sockets
- 3 x MCB Circuit Fuses
- 5m -4.0mm Cable
- Metal Box Housing
- 32A 110v Plug



Junction Boxes

Part No. 10895- 240v



Part No. 10884

Description:

- 4 way Splitter Box
- 4 x 16A 240v Outlets
- 5m 1.5mm Cable
- Metal Box Housing
- 16amp 240v Plug

- 3 x 16A Outlets, 2 x 32A Outlets
- 32amp Plug
- 1 x 16A MCB 2 x 32A MCB Breakers
- Metal Box Housing With a Lid



Site Lightning 110v

Non-LED Products

Part No. 10910



Description:

- 58w Fluorescent Fitting
- 1m 110v Plug
- 110v Socket
- Complete with mounting fixings

Part No. 10921



Description:

- 3m
- 1.50mm Cable
- 500w Halogen Fitting inc Bulb
- Die Cast Head/Metal Stand 110v
- 16A Plug

Part No. 10930-ES



Description:

- 22m 1.00mm Cable
- 10 x ES Fittings
- 10 x Polycarbonate Guards
- 10 x ES GLS 60w Bulbs
- 110v 16amp Plug

Part No. 10930-BC



- 22m 1.00mm Cable
- 10 x BC Fittings
- 10 x Polycarbonate Guards
- 10 x BC GLS 60w Bulbs
- 110v 16amp Plug



Site Lightning 110v

Non-LED Products

Part No. 10945



Description:

- 5m 1.5mm Cable
- 2 x 2ft 18w Fluorescent Tubes (not included)
- Folding Tripod Stand Max 2m Height
- Twin 16amp 110v Power Outlets
- 16A Plug 110v

Part No. 10946



- 5m 1.5mm cable
- 5ft 58w fluorescent tubes
- Folding tripod stand
- Twin 110v 16amp power outlets
- 16amp plug 110v



Site Lightning 240v

Part No. 10922



Description:

- 5m
- 1.50mm Cable
- Metal Telescopic Stand
- 500w Halogen Fitting (bulb included)
- 240v 13A Plug

Part No. 88880



- 3m
- 1.50mm Cable
- 240v/60w
- 13A Plug



Part No. 10912



Description:

- 20w LED fitting
- 3m
- 1.50mm Cable
- Adjustable Portable Stand
- 110v
- 16 amp
- Lumen Output: 1600 Lumens

Part No. 10916



Description:

- 30w LED Fitting
- 3m Cable
- Adjustable Metal Stand
- 110v
- 16A 110v Plug
- Lumen Output: 2600 Lumens

Part No. 10917



Description:

- Rechargeable 10w LED Fitting
- Adjustable Stand
- Complete with 13A Charger and 12v Lead
- Lumen Output: 900 Lumens

Part No. 10918



- Rechargeable 20w LED Fitting
- Adjustable Stand
- Complete with 13A Charger and 12v Lead
- Lumen Output: 1800 Lumens



Part No. 66662



Description:

- 30w LED Light
- 5m Cable
- Durable Shell
- 16A 110v Plug

Part No. 6664



Description:

- 6w 360 degree Rechargeable Light
- Constant Output Cycle
- Complete with 13A Charger
- Lumen Output: 540 Lumens

Part No. 6666



Description:

- 10w Super Bright LED Light
- USB Charging Outlet
- Durable HD Housing
- 13A Charger and 12v Car Adaptor
- Lumen Output: 750 Lumens

Part No. 6694



- 20w LED Task light
- 2 x 16A Power Outlets
- Polycarbonate Shell
- 3m Cable 110v 16amp Plug
- Lumen Output: 2000 Lumens



Part No. 10932



Description:

- 50w LED Festoon
- 10 LED IP54 Fittings
- 22m Cable
- 16A 110v Plug
- Lumen Output: 5000 Lumens

Part No. 10913



Description:

- 20w Single Head Fitting
- 5m
- 1.50mm Cable
- 110v
- 16A 110v Plug
- Lumen Output: 2000 Lumens

Part No. 10914



Description:

- 2 x 20w LED Fittings
- 5m
- 1.50mm Cable
- 110v
- 16A Plug
- Lumen Output: 3600 Lumens

Part No. 10915



- 30w Single Head Fitting 110v
- 5m 1.5mm Cable
- 1.50mm Cable
- 2 x 110v Power Outlets 16amp 110v Plug
- Lumen Output: 2600 Lumens



Part No. 10929LED



Description:

- 30w LED 2600 Lumens
- 5m
- 1.50mm Cable
- Metal Folding Stand
- 2 x 110v Socket Outlets
- 16A Plug, 110v

Part No. 10945LED



Description:

- 30w LED Fitting
- 5m
- 1.50mm Cable
- 2 x 16A Power Sockets
- 16A Plug
- 110v
- Lumen Output: 2600 Lumens

Part No. 10949LED



Description:

- 1 x 36W LED Fitting
- 5m Cable
- 2 x 16A Power Sockets
- Folding Tripod Stand
- 110v
- 16A Plug
- Lumen Output: 3600 Lumens

Part No. 10910LED





- 44w LED Fitting with fixings
- 1m with 110v Plug/ 1m with 110v
- 16amp 110v coupler link
- Lumen Output: 4050 Lumens



Part No. 10930-20m Description:



- 70W
- 20M LED Integrated Festoon
- SMD LED Chip
- Adjustable Portable Stand
- 110v
- Lumen Output: 8400 Lumens

Part No. 88881



Description:

- 15W
- 360°LED Gripper Lamp
- SMD
- 240v
- Lumen Output: 1500 Lumens

Part No. 88882



Description:

- 15W
- 360°LED Gripper Lamp
- SMD
- 110v
- Lumen Output: 1500 Lumens

Part No. 10930ELED



- 100w with 10X10w ES
- 22m
- 110v 16amp
- LED Festoon Kit
- Lumen Output: 8000 Lumens



Part No. 10933-50m



Description:

- 100w LED Festoon
- 20 LED IP54 Fittings
- 50m Cable
- 16A 110v Plug
- Lumen Output: 10000 Lumens

Part No. 10919



Description:

- 4pcs x 20w LED Link Light
- IP65 16amp Plug 110v
- 2m Space b/w the Light
- Lumen Output: 4000 Lumens

Part No. 10907



Description:

- 35w LED Task Light
- 2 x 16amp Outlets
- 110v 16amp Plug
- Lumen Output: 4000 Lumens

Part No. 10908



- 120w LED Heavy Duty Tripod Light
- IP54 16amp Plug
- 110v
- Lumen Output: 12000 Lumens

110v

Part No. 10603



Description:

- 16Amp
- 110v Plug
- IP44 Rated

Part No. 10604



Description:

- 16Amp
- 110v Coupler
- IP44 Rated

Part No. 10614



Description:

- 16amp
- 3 way
- 110v Splitter

Part No. 10832



- 32amp Plug
- 110v
- IP44 Rated



110v

Part No. 10833





- 32amp
- 110v Coupler
- IP44 Rated

Part No. 10616



- 3 Way Spider Pod
- 110v
- 16A 110v Plug and 1.5mm Cable

240v

Part No. 10608





- 16amp
- 240v Plug
- IP44 Rated

Part No. 10609

Description:



- 16amp
- 240v Coupler
- IP44 Rated

Part No. 10615

Description:



- 16amp
- 240v
- 3 way Splitter
- IP44 Rated

Part No. 10832-240v



- 32amp Plug
- 240v
- IP44 Rated



Description: Part No. 10833-240v



- 32amp240v CouplerIP44 Rated

Fans



Part No. 10948



Description:

- 3 speed setting
- High Velocity Floor Fan
- 120w Powerful motor
- Chrome Finish
- 240v 13amp BS and CE marked

Part No. 10947



Description:

- 3 Speed Setting
- High Velocity Floor Fan
- 120w Powerful motor
- Chrome Finish
- 110v 16amp BS and CE marked

Part No. 10942-WHITE



- Oscillating grill
- Height adjustment
- 220-240v
- 60w Power
- 50/60hz Frequency
- 3 Speed Setting
- Color White



Heater

Part No. 10941



- Portable Heater: 1200W
- Gold Heating Element with Waterproof ON/OFF Switch
- 2.5mm Cable
- 110v 16a Plug



Part No. SPC100ML

Description:



Broad spectrum, perfume-free and water resistant SPF50 sunscreen for professional use to protect the skin against harmful UVA, UVB and UVC rays.

Part No. SPC1L

Description:



Broad spectrum, perfume-free and water resistant SPF50 sunscreen for professional use to protect the skin against harmful UVA, UVB and UVC rays.

Part No. SUN1LDS

Description:



Unique 1 litre sealed cartridge dispenser for exclusive use with genuine SC Johnson Professional refill cartridges only. The push buttons on all SC Johnson Professional® dispensers are protected by BioCote®, a silver-based antimicrobial agent that inhibits the growth of bacteria and molds. Size (mm): 233H x 130W x 115D.

Part No. SSCSUN1EN

Description:



Pre-assembled with: Sun Protect 1 litre lockable dispenser, a mirror for easy application, a colour wheel to display the daily local UV index level, and instructions of WHY and WHEN outdoor workers need to protect themselves from the sun.



Part No. SGP100ML

Description:



Universal triple action skin protection cream to protect against water and oil based substances.

Part No. SGP1L

Description:



Universal triple action skin protection cream to protect against water and oil based substances.

Part No. PRO1LDS

Description:



Unique 1 litre sealed cartridge dispenser for exclusive use with genuine SC Johnson Professional refill cartridges only. The push buttons on all SC Johnson Professional® dispensers are protected by BioCote®, a silver-based antimicrobial agent that inhibits the growth of bacteria and molds. Size (mm): 233H x 130W x 115D.

Part No. CLR1L

Description:



Perfume-free and dye-free, biodegradable skin hypoallergenic foam hand wash with added moisturisers, to clean hands and wash away over 99% of dirt and germs (when used properly).



Part No. PUW2LT

Description:



A skin hypoallergenic, perfume-free and dye-free lotion hand cleaner to remove light duty oils, greases, general grime and food related soilings.

Part No. LGT2LDP

Description:



SC Johnson Professional 2 litre sealed cartridge dispenser exclusively uses genuine refill cartridges. BioCote Protection protects push buttons, inhibiting bacteria and mold growth, ensuring product delivery and reducing waste. Size (mm): 290H x 163W x 145D.

Part No. LIM2LT

Description:



Solvent-free, medium-heavy duty hand cleaner with natural cornmeal scrubbing agents and refreshing light lime fragrance.

Part No. LIM4LTR

Description:



Solvent-free, medium-heavy duty hand cleaner with natural cornmeal scrubbing agents and refreshing light lime fragrance.



Part No. HVY2LDB





SC Johnson Professional 2 litre sealed cartridge dispenser exclusively uses genuine refill cartridges. BioCote Protection protects push buttons, inhibiting bacteria and mold growth, ensuring product delivery and reducing waste. Size (mm): 290H x 163W x 145D.

Part No. HVY4LDB

Description:



SC Johnson Professional® 4 litre sealed cartridge dispenser exclusively uses genuine refill cartridges. BioCote Protection protects push buttons, inhibiting bacteria and mold growth, ensuring product delivery and reducing waste. Size (mm): 290H x 163W x 145D.

Part No. RES100ML

Description:



Lightly textured skin conditioning cream to help care for normal to dry skin.

Part No. RES1L

Description:



Lightly textured skin conditioning cream to help care for normal to dry skin.



Part No. RES1LDS

Description:



SC Johnson Professional® 1 litre sealed cartridge dispenser exclusively uses genuine refill cartridges. BioCote® protects push buttons, ensuring lifetime use and reducing waste. Delivers exact product quantity. Size (mm): 233H x 130W x 115D.

Part No. DIS1000ML

Description:



Highly effective broad spectrum alcohol based hand sanitiser dispensed as foam. Kills 99.999% of many common germs.

Part No. CRH36V

Description:



Solvent-free, medium-heavy duty hand cleaner with natural cornmeal scrubbing agents and refreshing light lime fragrance. For use with the SC Johnson Professional® Skin Safety Cradle.

Part No. ISG100ML

Description:



Highly effective broad spectrum alcohol based hand sanitising gel. Kills 99.999% of many common germs.



Part No. SSCLGE1EN



Description:

Ready-assembled board with SC Johnson Professional dispensers for tailored skin care system, size measuring 590mm x 510mm, containing Deb Protect 1000, Cleanse Heavy 2000, and Restore 1000 dispensers.

Part No. ACC729



Description:

The SC Johnson Professional® Skin Safety Cradle is a compact, 3-step skin care system for vehicles and limited spaces, providing protection, cleansing, and sanitization without running water. It is robust, pre-drilled, and holds all three cartridges. 260(h) x 307(w) x 93(d)mm.



Hand Tools

Part No. 0-33-887



Description:

- ABRASION RESISTANT POLYESTER FILM COATED BLADE provides up to 10 times more resistance.
- BLADEARMOR™ COATING reinforces the first 7.5cm of the blade, the section most vulnerable to wear.
- TRU-ZERO™ HOOK for precise inner and outer measurements, moving back and forth along the securing rivets to account for the hook thickness.

Part No. 0-33-720



Description:

- DURABLE BLADE: Abrasion resistant polyester film coated blade.
- Blade Armor™ Coating: reinforces the first 7.5cm of the blade, the section most vulnerable to wear.
- GREATER REACH: 32mm blade width and extended reach of 4.2 meters to help you measure confidently from a distance, even when working alone.

Part No. FMHT0-33864



Description:

- MULTI-CATCH HOOK provides more contact surface and grip for greater control, while the TRU-ZERO™ feature ensures precise inner and outer measurements.
- MAGNETIC HOOK for added convenience when measuring metallic objects
- PORTABILITY: Can be easily secured to a belt, pocket, or waistband using the integral belt clip.

Part No. 0-20-556





- Sharp ToothTM Technology cuts on push and pull strokes and is up to 50% faster than traditional tooth designs
- Sharpened tip punches through drywall with ease.



Hand Tools

Part No. 0-33-527



Part No. 0-43-624

Description:

- EXTRA BLADEARMOR™ REINFORCEMENT WHERE IT COUNTS: BladeArmor™ coating, reinforcing the first 7.5cm of the the blade, the section most vulnerable to wear.
- EASY TO READ: Bright, yellow easy to read blade with 25mm blade width for clear and legible markings in metric and imperial measurements.

Description:



- Machined leveling surfaces for accuracy
- Large ergonomic rubber over-molded hand grip

Part No. 0-43-648



Description:

- Solid block vials provide best in class accuracy in 8 orientations - 0.5mm/m
- Vials magnified by 20% for improved all round visibility

Part No. 0-43-672



- Product Dimensions: 1 x 1 x 1 cm; 790 Grams
- Batteries: 1 Lithium Ion batteries required.
- Colour {Yellow}
- Material Plastic: Metal
- Sound level: 44 dB
- Included Components: LEVEL



Hand Tools

Part No. STA88561



Description:

- Selection of the most commonly used drill bits in masonry, wood and metal
- Connectable Case allows multiple sets to be stacked and locked together
- Includes HSS drill bits (2mm, 3mm, 3.5mm, 4mm, 6mm, 8mm), Masonry Drill bits (4mm, 5mm, 6mm, 8mm), Wood drill bits (3mm, 4mm, 6mm, 8mm)

Part No. 2-11-921



Description:

- Regular-duty, general purpose blade: stanley's regular-duty, general purpose utility blade.
- Suitable for: cutting carpet, plastic, vinyl and other materials requiring a stiff, strong blade, but also suitable for cutting most light sheet materials, including paper and cardboard.
- Universal: compatible with all standard stanley® utility knives and most other knives

Part No. 1-97-518



Description:

- 10 Cups: Removable and stackable storage cups for organisation of small parts, components and accessories.
- IP53: For resistance to dust and water spray.
- Transparent Polypropylene Lid: Virtually unbreakable lid provides clear and un-obstructed visibility of organiser contents.
- METAL Latches & Hinged Lid: For added durability

Part No. 2-14-563



- Excellent for cutting aluminium, vinyl siding, screening, cardboard, leather and copper
- Exceeds ANSI standards for cutting performance and durability
- Double overwind spring for longer life
- High leverage, compound cutting design cuts up to 18 guage steel



Storage

Part No. 1-93-950



Description:

- Adjustable Shoulder Strap: For ease of transportation.
- Soft-Grip Carry Handle: For comfort and easy transportation.
- Durable Design: Made from heavy-duty 600 denier fabric.
- Maximum Load Capacity: 20kg.
- Maximum Volume: 26.5 litres.
- Dimensions: 46 x 31 x 21cm.

Part No. 1-79-215



Description:

- Integral Tool Loop: For maximum organisation and storage of large items, such as spirit levels.
- Front Zip Compartment For storing personal belongings securely.
- Durable Design: Made from heavy-duty 600 denier fabric.
- Maximum Load Capacity: 20kg.
- Maximum Volume: 24.5 litres.
- Dimensions: 36 x 54 x 21cm.

Part No. DWST1-79210



- Telescopic pull along handle
- Wide top opening Inner removable divider
- 2 plastic rails on the bottom
- 1 x Internal divider with pockets
- 5 x Internal pockets
- 8 x External pockets
- 1 x Hand carry strap
- 1 x padded shoulder strap
- Large double zip

































• 📞 Tel: 020 8200 5451 Fax: 020 8205 3034

9 Carlisle Road London NW9 0HD

www.connexionelectrical.co.uk